

| GUN12-18 恒流放电表 (Amper es) 环境 25°C |       |       |      |     |      |      |      |      |      |      |       |
|-----------------------------------|-------|-------|------|-----|------|------|------|------|------|------|-------|
| Time                              | 30min | 45min | 1h   | 2h  | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h   |
| 1.85V                             | 16.6  | 12.3  | 10.2 | 6.0 | 4.37 | 3.52 | 3.02 | 2.58 | 2.03 | 1.66 | 0.880 |
| 1.80V                             | 17.1  | 12.6  | 10.4 | 6.1 | 4.44 | 3.57 | 3.06 | 2.62 | 2.06 | 1.69 | 0.890 |
| 1.75V                             | 17.5  | 12.9  | 10.6 | 6.2 | 4.52 | 3.62 | 3.10 | 2.65 | 2.09 | 1.70 | 0.900 |
| 1.70V                             | 18.0  | 13.2  | 10.8 | 6.3 | 4.58 | 3.67 | 3.14 | 2.68 | 2.11 | 1.72 | 0.907 |
| 1.67V                             | 18.3  | 13.4  | 11.0 | 6.4 | 4.63 | 3.71 | 3.17 | 2.71 | 2.12 | 1.73 | 0.914 |
| 1.60V                             | 18.8  | 13.7  | 11.2 | 6.5 | 4.71 | 3.77 | 3.22 | 2.75 | 2.15 | 1.75 | 0.924 |

| GUN12-18 恒功率放电 (Watt s/Cell) 环境 25°C |       |       |      |      |      |      |      |      |      |      |      |
|--------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 32.1  | 23.8  | 19.8 | 11.7 | 8.59 | 6.94 | 5.95 | 5.11 | 4.03 | 3.31 | 1.76 |
| 1.80V                                | 32.9  | 24.4  | 20.2 | 11.9 | 8.72 | 7.03 | 6.03 | 5.18 | 4.09 | 3.35 | 1.78 |
| 1.75V                                | 33.6  | 24.8  | 20.5 | 12.1 | 8.83 | 7.12 | 6.10 | 5.23 | 4.13 | 3.38 | 1.80 |
| 1.70V                                | 34.3  | 25.3  | 20.8 | 12.2 | 8.95 | 7.20 | 6.17 | 5.29 | 4.17 | 3.41 | 1.81 |
| 1.67V                                | 34.8  | 25.6  | 21.1 | 12.4 | 9.02 | 7.26 | 6.22 | 5.33 | 4.20 | 3.43 | 1.83 |
| 1.60V                                | 35.6  | 26.1  | 21.5 | 12.6 | 9.17 | 7.37 | 6.30 | 5.40 | 4.25 | 3.47 | 1.85 |

| GUN12-26 恒流放电表 (Amper es) 环境 25°C |       |       |       |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 23.11 | 17.00 | 14.17 | 8.32 | 6.07 | 4.89 | 4.21 | 3.64 | 2.91 | 2.42 | 1.28 |
| 1.80V                             | 23.76 | 17.55 | 14.50 | 8.48 | 6.17 | 4.96 | 4.27 | 3.71 | 2.95 | 2.45 | 1.30 |
| 1.75V                             | 24.42 | 17.88 | 14.82 | 8.63 | 6.27 | 5.02 | 4.33 | 3.74 | 2.99 | 2.47 | 1.31 |
| 1.70V                             | 25.07 | 18.31 | 15.04 | 8.75 | 6.37 | 5.10 | 4.38 | 3.79 | 3.01 | 2.50 | 1.32 |
| 1.67V                             | 25.51 | 18.64 | 15.26 | 8.85 | 6.42 | 5.14 | 4.43 | 3.83 | 3.04 | 2.52 | 1.33 |
| 1.60V                             | 26.16 | 19.08 | 15.59 | 9.04 | 6.54 | 5.24 | 4.49 | 3.88 | 3.07 | 2.55 | 1.34 |

| GUN12-26 恒功率放电 (Watt s/Cell) 环境 25°C |       |       |       |       |       |       |      |      |      |      |      |
|--------------------------------------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h    | 2h    | 3h    | 4h    | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 44.58 | 33.14 | 27.47 | 16.24 | 11.88 | 9.64  | 8.31 | 7.20 | 5.77 | 4.81 | 2.56 |
| 1.80V                                | 45.78 | 33.90 | 28.12 | 16.57 | 12.10 | 9.76  | 8.41 | 7.31 | 5.84 | 4.86 | 2.58 |
| 1.75V                                | 46.76 | 34.44 | 28.56 | 16.79 | 12.32 | 9.88  | 8.51 | 7.38 | 5.90 | 4.91 | 2.62 |
| 1.70V                                | 47.74 | 35.10 | 28.99 | 17.00 | 12.43 | 10.00 | 8.62 | 7.47 | 5.95 | 4.96 | 2.64 |
| 1.67V                                | 48.40 | 35.53 | 29.32 | 17.22 | 12.54 | 10.08 | 8.68 | 7.52 | 6.00 | 4.99 | 2.66 |
| 1.60V                                | 49.49 | 36.19 | 29.87 | 17.44 | 12.75 | 10.24 | 8.80 | 7.62 | 6.08 | 5.05 | 2.69 |

| GUN12-33 恒流放电表 (Amper es) 环境 25°C |       |       |      |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 30.8  | 22.9  | 19.0 | 11.3 | 8.15 | 6.50 | 5.53 | 4.73 | 3.73 | 3.05 | 1.61 |
| 1.80V                             | 31.7  | 23.5  | 19.5 | 11.5 | 8.29 | 6.59 | 5.61 | 4.81 | 3.78 | 3.09 | 1.63 |
| 1.75V                             | 32.6  | 24.0  | 19.9 | 11.7 | 8.42 | 6.68 | 5.68 | 4.86 | 3.82 | 3.12 | 1.65 |
| 1.70V                             | 33.4  | 24.5  | 20.3 | 11.9 | 8.54 | 6.77 | 5.76 | 4.92 | 3.86 | 3.15 | 1.66 |
| 1.67V                             | 34.0  | 24.9  | 20.6 | 12.0 | 8.62 | 6.84 | 5.81 | 4.97 | 3.90 | 3.18 | 1.68 |
| 1.60V                             | 34.9  | 25.5  | 21.0 | 12.3 | 8.78 | 6.96 | 5.90 | 5.04 | 3.95 | 3.22 | 1.69 |

| GUN12-33 恒功率放电 (Watt s/Cell) 环境 25°C |       |       |      |      |      |      |      |      |      |      |      |
|--------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 59.5  | 44.4  | 37.0 | 22.1 | 16.0 | 12.8 | 10.9 | 9.37 | 7.39 | 6.06 | 3.23 |
| 1.80V                                | 61.1  | 45.4  | 37.8 | 22.5 | 16.3 | 13.0 | 11.1 | 9.50 | 7.49 | 6.14 | 3.26 |
| 1.75V                                | 62.4  | 46.2  | 38.4 | 22.8 | 16.5 | 13.1 | 11.2 | 9.60 | 7.57 | 6.19 | 3.30 |
| 1.70V                                | 63.7  | 47.1  | 39.0 | 23.1 | 16.7 | 13.3 | 11.3 | 9.70 | 7.64 | 6.25 | 3.33 |
| 1.67V                                | 64.7  | 47.7  | 39.5 | 23.3 | 16.8 | 13.4 | 11.4 | 9.78 | 7.70 | 6.29 | 3.35 |
| 1.60V                                | 66.1  | 48.6  | 40.2 | 23.7 | 17.1 | 13.6 | 11.6 | 9.89 | 7.80 | 6.37 | 3.39 |

| GUN12-40 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                             | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                            | 36.1  | 26.4  | 22.3 | 13.6 | 9.99 | 7.84 | 6.80 | 5.99 | 4.61 | 3.82 | 2.03 |
| 1.80V                            | 39.3  | 28.0  | 23.1 | 14.1 | 10.8 | 8.36 | 7.15 | 6.44 | 4.85 | 4.00 | 2.10 |
| 1.75V                            | 40.1  | 29.0  | 24.3 | 14.8 | 11.1 | 8.52 | 7.28 | 6.49 | 4.88 | 4.04 | 2.12 |
| 1.70V                            | 40.9  | 29.5  | 24.8 | 15.1 | 11.3 | 8.67 | 7.40 | 6.52 | 4.95 | 4.08 | 2.14 |
| 1.67V                            | 41.5  | 30.0  | 25.1 | 15.3 | 11.4 | 8.80 | 7.55 | 6.55 | 5.02 | 4.13 | 2.17 |
| 1.60V                            | 42.1  | 30.4  | 25.5 | 15.5 | 11.5 | 8.91 | 7.66 | 6.60 | 5.09 | 4.18 | 2.19 |

| GUN12-40 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                               | 70.3  | 50.7  | 44.1 | 27.0 | 19.9 | 15.7 | 13.7 | 11.8 | 9.33 | 7.75 | 4.12 |
| 1.80V                               | 75.9  | 53.4  | 45.4 | 27.8 | 21.5 | 16.7 | 14.3 | 12.7 | 9.79 | 8.10 | 4.26 |
| 1.75V                               | 76.9  | 55.0  | 47.4 | 29.1 | 21.9 | 16.9 | 14.5 | 12.7 | 9.82 | 8.17 | 4.30 |
| 1.70V                               | 77.8  | 55.7  | 48.1 | 29.6 | 22.2 | 17.2 | 14.7 | 12.8 | 10.0 | 8.25 | 4.34 |
| 1.67V                               | 78.3  | 56.2  | 48.6 | 29.9 | 22.3 | 17.4 | 15.0 | 12.8 | 10.1 | 8.34 | 4.39 |
| 1.60V                               | 78.7  | 56.5  | 48.9 | 30.1 | 22.4 | 17.5 | 15.1 | 12.9 | 10.2 | 8.42 | 4.43 |

| GUN12-55 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                             | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                            | 49.6  | 36.3  | 30.7 | 18.7 | 13.7 | 10.8 | 9.35 | 8.24 | 6.34 | 5.25 | 2.79 |
| 1.80V                            | 54.0  | 38.4  | 31.8 | 19.3 | 14.9 | 11.5 | 9.83 | 8.86 | 6.67 | 5.50 | 2.89 |
| 1.75V                            | 55.1  | 39.8  | 33.4 | 20.4 | 15.2 | 11.7 | 10.0 | 8.93 | 6.70 | 5.56 | 2.92 |
| 1.70V                            | 56.2  | 40.6  | 34.1 | 20.8 | 15.5 | 11.9 | 10.2 | 8.97 | 6.81 | 5.61 | 2.95 |
| 1.67V                            | 57.0  | 41.2  | 34.6 | 21.1 | 15.6 | 12.1 | 10.4 | 9.01 | 6.90 | 5.68 | 2.98 |
| 1.60V                            | 57.9  | 41.8  | 35.1 | 21.4 | 15.8 | 12.2 | 10.5 | 9.08 | 6.99 | 5.75 | 3.02 |

| GUN12-55 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                               | 94.8  | 69.7  | 59.4 | 36.4 | 26.8 | 21.1 | 18.4 | 16.3 | 12.6 | 10.4 | 5.55 |
| 1.80V                               | 102.4 | 73.4  | 61.2 | 37.4 | 29.0 | 22.5 | 19.3 | 17.4 | 13.2 | 10.9 | 5.74 |
| 1.75V                               | 103.7 | 75.6  | 64.0 | 39.2 | 29.5 | 22.8 | 19.6 | 17.5 | 13.2 | 11.0 | 5.79 |
| 1.70V                               | 104.9 | 76.6  | 64.9 | 39.9 | 29.9 | 23.1 | 19.8 | 17.6 | 13.4 | 11.1 | 5.84 |
| 1.67V                               | 105.6 | 77.3  | 65.5 | 40.3 | 30.1 | 23.4 | 20.2 | 17.6 | 13.6 | 11.2 | 5.91 |
| 1.60V                               | 106.1 | 77.7  | 66.0 | 40.6 | 30.2 | 23.6 | 20.4 | 17.7 | 13.7 | 11.4 | 5.97 |

| GUN12-70 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                             | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                            | 63.1  | 46.2  | 39.1 | 23.8 | 17.5 | 13.7 | 11.9 | 10.5 | 8.07 | 6.69 | 3.55 |
| 1.80V                            | 68.7  | 48.9  | 40.5 | 24.6 | 19.0 | 14.6 | 12.5 | 11.3 | 8.49 | 7.00 | 3.68 |
| 1.75V                            | 70.1  | 50.7  | 42.5 | 25.9 | 19.3 | 14.9 | 12.7 | 11.4 | 8.53 | 7.07 | 3.71 |
| 1.70V                            | 71.5  | 51.7  | 43.4 | 26.4 | 19.7 | 15.2 | 13.0 | 11.4 | 8.66 | 7.14 | 3.75 |
| 1.67V                            | 72.6  | 52.5  | 44.0 | 26.8 | 19.9 | 15.4 | 13.2 | 11.5 | 8.79 | 7.23 | 3.80 |
| 1.60V                            | 73.6  | 53.2  | 44.6 | 27.2 | 20.1 | 15.6 | 13.4 | 11.6 | 8.90 | 7.32 | 3.84 |

| GUN12-70 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                               | 117.0 | 87.0  | 73.4 | 45.0 | 33.1 | 26.1 | 22.7 | 20.1 | 15.5 | 12.9 | 6.85 |
| 1.80V                               | 126.4 | 91.6  | 75.6 | 46.2 | 35.8 | 27.8 | 23.8 | 21.5 | 16.3 | 13.5 | 7.09 |
| 1.75V                               | 128.0 | 94.3  | 79.0 | 48.4 | 36.4 | 28.2 | 24.2 | 21.6 | 16.3 | 13.6 | 7.15 |
| 1.70V                               | 129.5 | 95.5  | 80.1 | 49.2 | 37.0 | 28.6 | 24.5 | 21.7 | 16.6 | 13.7 | 7.22 |
| 1.67V                               | 130.4 | 96.4  | 80.8 | 49.7 | 37.1 | 28.9 | 24.9 | 21.7 | 16.8 | 13.9 | 7.30 |
| 160V                                | 130.9 | 96.9  | 81.4 | 50.1 | 37.3 | 29.1 | 25.1 | 21.8 | 16.9 | 14.0 | 7.37 |

| GUN12-80 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                             | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                            | 73.6  | 53.8  | 45.6 | 27.8 | 20.4 | 16.0 | 13.9 | 12.2 | 9.40 | 7.79 | 4.13 |
| 1.80V                            | 80.1  | 57.0  | 47.2 | 28.7 | 22.1 | 17.1 | 14.6 | 13.1 | 9.89 | 8.00 | 4.28 |
| 1.75V                            | 81.8  | 59.0  | 49.5 | 30.2 | 22.5 | 17.4 | 14.9 | 13.2 | 9.95 | 8.24 | 4.33 |
| 1.70V                            | 83.4  | 60.2  | 50.5 | 30.8 | 23.0 | 17.7 | 15.1 | 13.3 | 10.1 | 8.32 | 4.37 |
| 1.67V                            | 84.6  | 61.1  | 51.3 | 31.2 | 23.2 | 18.0 | 15.4 | 13.4 | 10.2 | 8.43 | 4.43 |
| 1.60V                            | 85.9  | 62.0  | 52.0 | 31.7 | 23.4 | 18.2 | 15.6 | 13.4 | 10.4 | 8.53 | 4.48 |

| GUN12-80 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-------------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                                | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                               | 140.6 | 101.3 | 88.2 | 54.0 | 39.8 | 31.4 | 27.3 | 24.1 | 18.7 | 15.5 | 8.23 |
| 1.80V                               | 151.9 | 106.6 | 90.8 | 55.5 | 43.0 | 33.4 | 28.6 | 25.8 | 19.6 | 16.2 | 8.52 |
| 1.75V                               | 153.8 | 109.8 | 94.9 | 58.2 | 43.7 | 33.9 | 29.0 | 25.9 | 19.6 | 16.3 | 8.59 |
| 1.70V                               | 155.6 | 111.2 | 96.3 | 59.1 | 44.4 | 34.3 | 29.4 | 26.0 | 19.9 | 16.5 | 8.67 |
| 1.67V                               | 156.7 | 112.2 | 97.1 | 59.7 | 44.6 | 34.7 | 29.9 | 26.1 | 20.1 | 16.7 | 8.77 |
| 1.60V                               | 157.4 | 112.8 | 97.9 | 60.2 | 44.8 | 35.0 | 30.2 | 26.2 | 20.4 | 16.8 | 8.86 |

| GUN12-90 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |     |      |
|----------------------------------|-------|-------|------|------|------|------|------|------|------|-----|------|
| Time                             | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h | 20h  |
| 1.85V                            | 74.3  | 60.8  | 47.3 | 26.9 | 21.4 | 17.5 | 14.9 | 13.5 | 10.5 | 8.5 | 4.44 |
| 1.80V                            | 82.8  | 66.4  | 50.0 | 28.4 | 22.5 | 18.3 | 15.5 | 14.0 | 10.8 | 9   | 4.73 |
| 1.75V                            | 86.4  | 69.8  | 53.1 | 29.7 | 23.1 | 19.0 | 16.0 | 14.3 | 11.0 | 9.2 | 4.82 |
| 1.70V                            | 87.5  | 71.6  | 55.5 | 30.8 | 23.9 | 19.4 | 16.3 | 14.6 | 11.2 | 9.3 | 4.87 |
| 1.67V                            | 88.8  | 73.2  | 57.5 | 31.7 | 24.6 | 19.9 | 16.6 | 14.9 | 11.3 | 9.4 | 4.91 |
| 1.60V                            | 90.2  | 74.2  | 58.1 | 32.2 | 25.0 | 20.2 | 16.8 | 15.0 | 11.4 | 9.5 | 4.96 |

| GUN12-90 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |     |
|-------------------------------------|-------|-------|------|------|------|------|------|------|------|------|-----|
| Time                                | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h |
| 1.85V                               | 136.2 | 106.1 | 76.0 | 47.6 | 36.4 | 29.9 | 27.4 | 24.2 | 18.0 | 15.0 | 7.9 |
| 1.80V                               | 151.7 | 116.7 | 81.6 | 51.4 | 39.0 | 31.6 | 29.0 | 25.6 | 18.6 | 15.3 | 8.5 |
| 1.75V                               | 158.3 | 122.1 | 85.9 | 53.4 | 40.1 | 32.7 | 29.9 | 26.2 | 18.9 | 15.5 | 8.1 |
| 1.70V                               | 160.3 | 125.0 | 89.7 | 54.8 | 41.2 | 33.5 | 30.5 | 26.6 | 19.0 | 15.7 | 8.2 |
| 1.67V                               | 162.8 | 128.3 | 93.6 | 56.3 | 42.5 | 34.4 | 30.9 | 27.0 | 19.2 | 15.8 | 8.3 |
| 1.60V                               | 165.2 | 131.3 | 97.4 | 57.5 | 43.3 | 34.8 | 31.2 | 27.4 | 19.5 | 16.1 | 8.5 |

| GUN12-100 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 82.5  | 67.5  | 52.5 | 29.9 | 23.8 | 19.4 | 16.6 | 15.0 | 11.7 | 9.39 | 4.93 |
| 1.80V                             | 92.0  | 73.8  | 55.6 | 31.5 | 25.0 | 20.3 | 17.2 | 15.5 | 12.0 | 10.0 | 5.25 |
| 1.75V                             | 96.0  | 77.5  | 59.0 | 33.0 | 25.7 | 21.1 | 17.8 | 15.9 | 12.2 | 10.2 | 5.36 |
| 1.70V                             | 97.2  | 79.5  | 61.7 | 34.2 | 26.5 | 21.6 | 18.1 | 16.2 | 12.4 | 10.3 | 5.41 |
| 1.67V                             | 98.7  | 81.3  | 63.9 | 35.2 | 27.3 | 22.1 | 18.4 | 16.5 | 12.6 | 10.4 | 5.46 |
| 1.60V                             | 100.2 | 82.4  | 64.6 | 35.8 | 27.8 | 22.4 | 18.7 | 16.7 | 12.7 | 10.5 | 5.51 |

| GUN12-100 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |      |      |      |      |      |      |      |      |
|--------------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 151.3 | 117.9 | 84.4  | 52.9 | 40.4 | 33.2 | 30.4 | 26.9 | 20.0 | 16.7 | 8.79 |
| 1.80V                                | 168.6 | 129.7 | 90.7  | 57.1 | 43.3 | 35.1 | 32.2 | 28.4 | 20.7 | 17.0 | 8.94 |
| 1.75V                                | 175.9 | 135.7 | 95.4  | 59.3 | 44.6 | 36.3 | 33.2 | 29.1 | 21.0 | 17.2 | 9.04 |
| 1.70V                                | 178.1 | 138.9 | 99.7  | 60.9 | 45.8 | 37.2 | 33.9 | 29.6 | 21.1 | 17.4 | 9.14 |
| 1.67V                                | 180.9 | 142.5 | 104.1 | 62.6 | 47.2 | 38.2 | 34.3 | 30.0 | 21.3 | 17.6 | 9.24 |
| 1.60V                                | 183.6 | 145.9 | 108.2 | 63.9 | 48.1 | 38.7 | 34.7 | 30.4 | 21.7 | 17.9 | 9.40 |

| GUN12-110 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 90.8  | 74.3  | 57.8 | 32.9 | 26.2 | 21.3 | 18.3 | 16.5 | 12.9 | 10.3 | 5.4  |
| 1.80V                             | 101.2 | 81.2  | 61.2 | 34.7 | 27.5 | 22.3 | 18.9 | 17.1 | 13.2 | 11.0 | 5.8  |
| 1.75V                             | 105.6 | 85.3  | 64.9 | 36.3 | 28.3 | 23.2 | 19.6 | 17.5 | 13.4 | 11.2 | 5.9  |
| 1.70V                             | 106.9 | 87.5  | 67.9 | 37.6 | 29.2 | 23.8 | 19.9 | 17.8 | 13.6 | 11.3 | 5.95 |
| 1.67V                             | 108.6 | 89.4  | 70.3 | 38.7 | 30.0 | 24.3 | 20.2 | 18.2 | 13.9 | 11.4 | 6.01 |
| 1.60V                             | 110.2 | 90.6  | 71.1 | 39.4 | 30.6 | 24.6 | 20.6 | 18.4 | 14.0 | 10.6 | 6.02 |

| GUN12-110 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |      |      |      |      |      |      |      |       |
|--------------------------------------|-------|-------|-------|------|------|------|------|------|------|------|-------|
| Time                                 | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h   |
| 1.85V                                | 166.4 | 129.7 | 92.8  | 58.2 | 44.4 | 36.5 | 33.4 | 29.6 | 22.0 | 18.4 | 9.67  |
| 1.80V                                | 185.5 | 142.7 | 99.8  | 62.8 | 47.6 | 38.6 | 35.4 | 31.2 | 22.8 | 18.7 | 9.83  |
| 1.75V                                | 193.5 | 149.3 | 104.9 | 65.2 | 49.1 | 39.9 | 36.5 | 32.0 | 23.1 | 18.9 | 9.94  |
| 1.70V                                | 195.9 | 152.8 | 109.7 | 67.0 | 50.4 | 40.9 | 37.3 | 32.6 | 23.2 | 19.1 | 10.05 |
| 1.67V                                | 199.0 | 156.8 | 114.4 | 68.9 | 51.9 | 42.0 | 37.7 | 33.0 | 23.4 | 19.4 | 10.16 |
| 1.60V                                | 202.0 | 160.5 | 119.0 | 70.3 | 52.9 | 42.6 | 38.2 | 33.4 | 23.9 | 19.7 | 10.34 |

| GUN12-135 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |     |
|-----------------------------------|-------|-------|------|------|------|------|------|------|------|------|-----|
| Time                              | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h |
| 1.85V                             | 111.4 | 91.1  | 70.9 | 40.4 | 32.1 | 26.2 | 22.4 | 20.3 | 15.8 | 12.7 | 6.7 |
| 1.80V                             | 124.2 | 99.6  | 75.1 | 42.5 | 33.8 | 27.4 | 23.2 | 20.9 | 16.2 | 13.5 | 7.9 |
| 1.75V                             | 129.6 | 104.6 | 79.7 | 44.6 | 34.7 | 28.5 | 24.0 | 21.5 | 16.5 | 13.8 | 7.2 |
| 1.70V                             | 131.2 | 107.3 | 83.3 | 46.2 | 35.8 | 29.2 | 24.4 | 21.9 | 16.7 | 13.9 | 7.3 |
| 1.67V                             | 133.2 | 109.8 | 86.3 | 47.5 | 36.9 | 29.8 | 24.8 | 22.3 | 17.0 | 14.0 | 7.4 |
| 1.60V                             | 135.3 | 111.2 | 87.2 | 48.3 | 37.5 | 30.2 | 25.2 | 22.5 | 17.1 | 14.2 | 7.5 |

| GUN12-135 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |      |      |      |      |      |      |      |       |
|--------------------------------------|-------|-------|-------|------|------|------|------|------|------|------|-------|
| Time                                 | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h   |
| 1.85V                                | 204.3 | 159.2 | 113.9 | 71.4 | 54.5 | 44.8 | 41.0 | 36.3 | 27.0 | 22.5 | 11.9  |
| 1.80V                                | 227.6 | 175.1 | 122.4 | 77.1 | 58.5 | 47.4 | 43.5 | 38.3 | 27.9 | 23.0 | 12.70 |
| 1.75V                                | 237.5 | 183.2 | 128.8 | 80.1 | 60.2 | 49.0 | 44.8 | 39.3 | 28.4 | 23.2 | 12.2  |
| 1.70V                                | 240.4 | 187.5 | 134.6 | 82.2 | 61.8 | 50.2 | 45.8 | 40.0 | 28.5 | 23.5 | 12.3  |
| 1.67V                                | 244.2 | 192.4 | 140.4 | 84.5 | 63.7 | 51.6 | 46.3 | 40.5 | 28.8 | 23.8 | 12.5  |
| 1.60V                                | 247.9 | 197.0 | 146.1 | 86.3 | 64.9 | 52.2 | 46.8 | 41.0 | 29.3 | 24.2 | 12.7  |

| GUN12-150 恒流放电表 (Amper es) 环境 25℃ |       |       |      |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h   | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 135.3 | 98.9  | 83.8 | 51.1 | 37.5 | 29.4 | 25.5 | 22.5 | 17.3 | 14.3 | 7.60 |
| 1.80V                             | 147.3 | 104.8 | 86.8 | 52.7 | 40.7 | 31.4 | 26.8 | 24.2 | 18.2 | 15.0 | 7.88 |
| 1.75V                             | 150.3 | 108.6 | 91.1 | 55.5 | 41.4 | 32.0 | 27.3 | 24.3 | 18.3 | 15.2 | 7.95 |
| 1.70V                             | 153.3 | 110.8 | 92.9 | 56.6 | 42.2 | 32.5 | 27.8 | 24.5 | 18.6 | 15.3 | 8.03 |
| 1.67V                             | 155.6 | 112.4 | 94.3 | 57.4 | 42.6 | 33.0 | 28.3 | 24.6 | 18.8 | 15.5 | 8.13 |
| 1.60V                             | 157.8 | 114.0 | 95.6 | 58.3 | 43.0 | 33.4 | 28.7 | 24.8 | 19.1 | 15.7 | 8.23 |

| GUN12-150 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |       |      |      |      |      |      |      |      |
|--------------------------------------|-------|-------|-------|-------|------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h    | 2h    | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 258.5 | 190.2 | 162.1 | 99.3  | 73.2 | 57.6 | 50.2 | 44.4 | 34.3 | 28.5 | 15.1 |
| 1.80V                                | 279.2 | 200.2 | 167.0 | 102.1 | 79.1 | 61.3 | 52.6 | 47.5 | 36.0 | 29.8 | 15.7 |
| 1.75V                                | 282.8 | 206.2 | 174.4 | 107.0 | 80.4 | 62.2 | 53.4 | 47.8 | 36.1 | 30.1 | 15.8 |
| 1.70V                                | 286.0 | 208.9 | 177.0 | 108.7 | 81.6 | 63.1 | 54.1 | 47.9 | 36.6 | 30.3 | 15.9 |
| 1.67V                                | 288.0 | 210.8 | 178.6 | 109.8 | 82.1 | 63.8 | 55.0 | 48.0 | 37.0 | 30.7 | 16.1 |
| 1.60V                                | 289.3 | 211.8 | 179.9 | 110.7 | 82.4 | 64.3 | 55.5 | 48.2 | 37.4 | 31.0 | 16.3 |

| GUN12-180 恒流放电表 (Amper es) 环境 25℃ |       |       |       |      |      |      |      |      |      |      |     |
|-----------------------------------|-------|-------|-------|------|------|------|------|------|------|------|-----|
| Time                              | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h |
| 1.85V                             | 148.5 | 121.5 | 94.5  | 53.8 | 42.8 | 34.9 | 29.9 | 27.0 | 21.1 | 16.9 | 8.9 |
| 1.80V                             | 165.6 | 132.8 | 100.1 | 56.7 | 45.0 | 36.5 | 30.9 | 27.9 | 21.6 | 18.0 | 9.4 |
| 1.75V                             | 172.8 | 139.5 | 106.2 | 59.4 | 46.3 | 37.9 | 32.0 | 28.6 | 21.2 | 18.4 | 9.6 |
| 1.70V                             | 174.9 | 143.1 | 111.1 | 61.6 | 47.7 | 38.9 | 32.6 | 29.1 | 22.3 | 18.5 | 9.7 |
| 1.67V                             | 177.7 | 146.3 | 115.0 | 63.4 | 49.1 | 39.8 | 33.1 | 29.7 | 22.7 | 18.7 | 9.8 |
| 1.60V                             | 180.4 | 148.3 | 116.3 | 64.4 | 50.0 | 40.3 | 33.7 | 30.1 | 22.9 | 18.9 | 9.9 |

| GUN12-180 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |       |      |      |      |      |      |      |      |
|--------------------------------------|-------|-------|-------|-------|------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h    | 2h    | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 272.3 | 212.2 | 151.9 | 95.2  | 72.7 | 59.8 | 54.7 | 48.4 | 36.0 | 30.1 | 15.8 |
| 1.80V                                | 303.5 | 233.5 | 163.3 | 102.8 | 77.9 | 63.2 | 57.9 | 51.1 | 37.3 | 30.6 | 16.1 |
| 1.75V                                | 316.6 | 244.3 | 171.7 | 106.7 | 80.3 | 65.3 | 59.8 | 52.4 | 37.8 | 30.9 | 16.3 |
| 1.70V                                | 320.6 | 250.0 | 179.5 | 109.6 | 82.4 | 66.9 | 61.0 | 53.3 | 37.9 | 31.3 | 16.5 |
| 1.67V                                | 325.6 | 256.5 | 187.2 | 112.7 | 84.9 | 68.8 | 61.7 | 54.0 | 38.3 | 31.6 | 16.6 |
| 1.60V                                | 330.5 | 262.6 | 194.8 | 115.0 | 86.6 | 69.7 | 62.5 | 54.7 | 39.1 | 32.2 | 16.9 |

| GUN12-200 恒流放电表 (Amper es) 环境 25℃ |       |       |       |      |      |      |      |      |      |      |      |
|-----------------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|
| Time                              | 30min | 45min | 1h    | 2h   | 3h   | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                             | 178.6 | 130.6 | 110.6 | 67.4 | 49.4 | 38.8 | 33.7 | 29.7 | 22.8 | 18.9 | 10.0 |
| 1.80V                             | 194.4 | 138.4 | 114.6 | 69.6 | 53.7 | 41.4 | 35.4 | 31.9 | 24.0 | 20.0 | 10.4 |
| 1.75V                             | 198.4 | 143.4 | 120.2 | 73.3 | 54.7 | 42.2 | 36.0 | 32.1 | 24.1 | 20.1 | 10.5 |
| 1.70V                             | 202.4 | 146.2 | 122.6 | 74.7 | 55.8 | 42.9 | 36.6 | 32.3 | 24.5 | 20.2 | 10.6 |
| 1.67V                             | 205.3 | 148.4 | 124.4 | 75.8 | 56.3 | 43.6 | 37.4 | 32.4 | 24.8 | 20.5 | 10.7 |
| 1.60V                             | 208.3 | 150.5 | 126.2 | 76.9 | 56.8 | 44.1 | 37.9 | 32.7 | 25.2 | 20.7 | 10.9 |

| GUN12-200 恒功率放电 (Watt s/Cell) 环境 25℃ |       |       |       |       |       |      |      |      |      |      |      |
|--------------------------------------|-------|-------|-------|-------|-------|------|------|------|------|------|------|
| Time                                 | 30min | 45min | 1h    | 2h    | 3h    | 4h   | 5h   | 6h   | 8h   | 10h  | 20h  |
| 1.85V                                | 341.2 | 251.1 | 213.9 | 131.1 | 96.6  | 76.1 | 66.3 | 58.6 | 45.3 | 37.6 | 20.0 |
| 1.80V                                | 368.6 | 264.3 | 220.4 | 134.7 | 104.4 | 80.9 | 69.4 | 62.7 | 47.5 | 39.3 | 20.7 |
| 1.75V                                | 373.2 | 272.2 | 230.2 | 141.3 | 106.1 | 82.2 | 70.4 | 63.0 | 47.6 | 39.7 | 20.8 |
| 1.70V                                | 377.5 | 275.7 | 233.6 | 143.5 | 107.8 | 83.3 | 71.4 | 63.3 | 48.3 | 40.0 | 21.0 |
| 1.67V                                | 380.2 | 278.2 | 235.7 | 145.0 | 108.3 | 84.3 | 72.6 | 63.4 | 48.9 | 40.5 | 21.3 |
| 1.60V                                | 381.8 | 279.6 | 237.5 | 146.2 | 108.8 | 84.9 | 73.3 | 63.6 | 49.4 | 40.9 | 21.5 |