

SUNOPzV2-200 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	171.0	155.0	122.0	89.4	60.4	46.4	31.7	22.2	18.7
1.80V	210.0	188.0	142.0	100.2	66.2	50.5	34.2	23.8	20.0
1.75V	248.0	210.0	152.0	104.2	68.5	51.6	34.9	24.2	20.3
1.70V	279.0	230.0	161.0	108.7	70.2	52.6	35.4	24.5	20.6
1.67V	299.0	242.0	167.0	111.6	71.4	53.6	36.0	24.8	20.7
1.60V	313.0	251.0	171.0	113.3	72.5	54.2	36.3	25.0	20.9

SUNOPzV2-200 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	318.0	292.0	233.0	172.5	117.4	90.5	62.3	44.1	37.3
1.80V	384.0	348.0	269.0	193.0	128.4	98.0	66.9	47.1	39.7
1.75V	446.0	384.0	284.0	199.3	131.2	99.7	68.1	47.8	40.3
1.70V	492.0	413.0	298.0	206.1	134.1	101.4	69.2	48.3	40.7
1.67V	519.0	430.0	307.0	210.1	136.4	103.1	69.8	48.8	41.0
1.60V	532.0	439.0	311.0	212.4	137.6	103.7	70.3	49.0	41.3

SUNOPzV2-250 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	213.0	194.0	153.0	111.7	75.6	58.0	39.7	27.8	23.4
1.80V	263.0	235.0	178.0	125.3	82.8	63.1	42.8	29.8	25.0
1.75V	311.0	263.0	190.0	130.2	85.6	64.5	43.6	30.3	25.4
1.70V	348.0	287.0	201.0	135.9	87.8	65.8	44.3	30.7	25.7
1.67V	374.0	303.0	209.0	139.5	89.2	67.0	45.0	31.0	25.9
1.60V	392.0	314.0	214.0	141.6	90.7	67.8	45.4	31.3	26.1

SUNOPzV2-250 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	397.0	365.0	292.0	215.6	146.8	113.1	77.9	55.1	46.6
1.80V	480.0	435.0	337.0	241.2	160.5	122.4	83.6	58.9	49.6
1.75V	558.0	480.0	355.0	249.1	164.1	124.6	85.1	59.8	50.4
1.70V	615.0	517.0	372.0	257.6	167.7	126.7	86.5	60.4	50.9
1.67V	648.0	538.0	383.0	262.6	170.5	128.9	87.2	61.0	51.3
1.60V	665.0	549.0	389.0	265.4	172.0	129.6	87.9	61.3	51.6

SUNOPzV2-300 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	256.0	233.0	183.0	135.0	91.2	70.0	47.8	33.3	28.1
1.80V	315.0	282.0	214.0	152.0	100.0	76.2	51.6	35.7	30.0
1.75V	373.0	316.0	228.0	158.0	103.0	77.9	52.6	36.3	30.5
1.70V	418.0	344.0	241.0	164.0	106.0	79.5	53.4	36.8	30.8
1.67V	449.0	364.0	251.0	168.0	108.0	81.0	54.2	37.2	31.1
1.60V	470.0	377.0	257.0	171.0	109.0	81.9	54.8	37.5	31.4

SUNOPzV2-300 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	476.0	438.0	350.0	260.0	177.0	137.0	94.1	66.1	55.9
1.80V	576.0	522.0	404.0	291.0	194.0	148.0	101.0	70.6	59.6
1.75V	669.0	577.0	426.0	301.0	198.0	151.0	103.0	71.7	60.4
1.70V	738.0	620.0	447.0	311.0	202.0	153.0	104.0	72.4	61.0
1.67V	778.0	645.0	460.0	317.0	205.0	155.0	105.0	73.1	61.5
1.60V	799.0	658.0	467.0	321.0	207.0	157.0	106.0	73.5	61.9

SUNOPzV2-350 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	274.0	253.0	206.0	156.4	105.8	81.2	55.5	38.9	32.8
1.80V	337.0	306.0	240.0	175.4	115.9	88.3	59.9	41.7	35.0
1.75V	399.0	343.0	256.0	182.3	119.9	90.3	61.1	42.4	35.6
1.70V	448.0	374.0	271.0	190.3	122.9	92.1	62.0	43.0	36.0
1.67V	481.0	395.0	282.0	195.3	124.9	93.8	63.0	43.5	36.3
1.60V	503.0	409.0	289.0	198.3	126.9	94.9	63.6	43.8	36.6

SUNOPzV2-350 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	510.0	475.0	394.0	301.9	205.5	158.4	109.1	77.2	65.2
1.80V	616.0	567.0	455.0	337.7	224.6	171.4	117.1	82.5	69.5
1.75V	717.0	626.0	480.0	348.7	229.7	174.4	119.1	83.7	70.5
1.70V	790.0	673.0	503.0	360.7	234.7	177.4	121.1	84.6	71.2
1.67V	833.0	700.0	518.0	367.6	238.8	180.4	122.1	85.4	71.8
1.60V	855.0	715.0	526.0	371.6	240.8	181.4	123.1	85.8	72.2

SUNOPzV2-420 恒流放电表 (Amperes) 环境 25°C

F.V/Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V/cell	329.0	303.0	248.0	188.0	126.0	97.2	66.5	46.8	39.3
1.80V/cell	405.0	367.0	289.0	212.0	139.0	106.0	71.8	50.0	42.0
1.75V/cell	479.0	411.0	308.0	220.0	142.0	108.0	73.1	51.0	42.7
1.70V/cell	537.0	449.0	326.0	229.0	146.0	110.0	74.3	51.5	43.2
1.65V/cell	577.0	474.0	339.0	235.0	149.0	112.0	75.4	52.0	43.6
1.60V/cell	604.0	490.0	347.0	239.0	151.0	114.0	76.2	52.8	43.9

SUNOPzV2-420 恒功率放电 (Watts/Cell) 环境 25°C

F.V/Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V/cell	612.0	570.0	473.0	363.0	245.0	190.0	131.0	92.8	78.2
1.80V/cell	740.0	680.0	546.0	407.0	268.0	206.0	141.0	99.0	83.4
1.75V/cell	860.0	751.0	576.0	420.0	274.0	209.0	143.0	100.6	84.6
1.70V/cell	948.0	808.0	604.0	434.0	280.0	213.0	145.0	101.6	85.4
1.65V/cell	1000.0	840.0	621.0	443.0	284.0	216.0	146.0	102.4	86.2
1.60V/cell	1026.0	857.0	631.0	448.0	286.0	217.0	147.0	103.0	86.6

SUNOPzV2-490 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	391.7	361.1	294.8	223.4	149.9	115.3	79.2	55.6	46.8
1.80V	481.4	437.6	343.7	251.9	165.2	125.5	85.4	59.5	50.0
1.75V	570.2	489.6	366.2	262.1	169.3	128.5	87.0	60.5	50.8
1.70V	639.5	533.5	387.6	272.3	173.4	131.6	88.4	61.3	51.3
1.67V	686.5	564.1	402.9	279.5	177.5	133.6	89.8	62.0	51.9
1.60V	718.1	583.4	413.1	284.6	179.5	135.7	90.7	62.4	52.2

SUNOPzV2-490 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	728.3	678.3	563.0	432.5	291.7	225.4	156.1	109.8	93.1
1.80V	880.3	809.9	649.7	483.5	319.3	244.8	167.3	117.9	99.2
1.75V	1023.1	893.5	685.4	500.8	326.4	248.9	170.3	118.9	100.7
1.70V	1128.1	960.8	718.1	516.1	332.5	253.0	172.4	121.0	101.7
1.67V	1189.3	999.6	739.5	527.3	338.6	257.0	174.4	122.0	103.0
1.60V	1220.9	1020.0	750.7	533.5	340.7	258.1	175.4	122.8	104.0

SUNOPzV2-600 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	409.0	389.0	335.0	267.0	177.0	139.0	95.0	66.0	56.2
1.80V	503.0	470.0	390.0	301.0	195.0	151.0	102.6	71.5	60.0
1.75V	595.0	526.0	416.0	313.0	200.0	152.0	104.6	72.5	60.9
1.70V	668.0	574.0	440.0	325.0	205.0	158.0	105.8	74.0	61.6
1.67V	717.0	607.0	458.0	335.0	209.0	160.0	108.0	74.5	62.3
1.60V	750.0	628.0	469.0	341.0	212.0	162.0	109.0	75.0	62.7

SUNOPzV2-600 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	761.0	730.0	640.0	517.0	344.0	272.0	185.0	130.0	112.0
1.80V	919.0	871.0	738.0	578.0	376.0	293.9	199.0	139.0	119.0
1.75V	1069.0	962.0	779.0	598.0	385.0	295.0	202.0	141.0	121.0
1.70V	1178.0	1034.0	816.0	617.0	393.0	303.8	205.0	143.0	122.0
1.67V	1243.0	1076.0	840.0	631.0	399.0	307.8	207.0	144.0	123.0
1.60V	1276.0	1098.0	853.0	637.0	402.0	309.8	208.0	145.0	124.0

SUNOPzV2-800 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	545.0	518.0	446.0	356.0	236.0	185.0	127.0	89.0	74.9
1.80V	671.0	627.0	520.0	401.0	259.0	201.5	136.8	95.2	80.0
1.75V	794.0	702.0	554.0	418.0	267.0	204.0	139.5	96.8	81.3
1.70V	891.0	766.0	587.0	434.0	273.0	208.0	141.6	98.0	82.2
1.67V	956.0	809.0	610.0	446.0	279.0	212.0	143.1	99.2	83.0
1.60V	1001.0	838.0	626.0	454.0	283.0	216.0	145.2	100.2	83.6

SUNOPzV2-800 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1014.0	973.0	853.0	689.0	459.0	360.9	249.0	176.4	149.0
1.80V	1226.0	1162.0	984.0	771.0	502.0	391.9	268.5	188.4	159.0
1.75V	1425.0	1282.0	1038.0	798.0	513.0	395.9	272.9	191.4	161.0
1.70V	1571.0	1379.0	1088.0	823.0	524.0	401.9	276.1	193.4	163.0
1.67V	1657.0	1435.0	1120.0	841.0	532.0	407.9	278.1	195.4	164.0
1.60V	1701.0	1464.0	1137.0	850.0	536.0	412.8	280.3	197.8	165.0

SUNOPzV2-1000 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	682.0	648.0	558.0	445.0	295.0	231.0	159.0	111.0	93.7
1.80V	839.0	784.0	650.0	502.0	324.0	252.0	171.0	119.0	100.0
1.75V	992.0	877.0	693.0	522.0	333.0	257.0	175.0	120.0	102.0
1.70V	1113.0	957.0	733.0	542.0	342.0	262.0	177.0	122.0	103.0
1.67V	1196.0	1011.0	763.0	558.0	349.0	267.0	180.0	123.0	104.0
1.60V	1251.0	1047.0	782.0	568.0	354.0	270.0	182.0	124.0	105.0

SUNOPzV2-1000 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1268.0	1217.0	1066.0	862.0	574.0	451.9	312.9	219.0	186.0
1.80V	1532.0	1452.0	1230.0	964.0	627.0	488.8	335.9	234.0	199.0
1.75V	1782.0	1603.0	1298.0	997.0	641.0	497.8	340.9	238.0	201.0
1.70V	1964.0	1724.0	1360.0	1029.0	654.0	505.8	344.9	240.0	203.0
1.67V	2071.0	1793.0	1400.0	1051.0	665.0	512.8	348.9	243.0	205.0
1.60V	2126.0	1830.0	1421.0	1062.0	670.0	516.7	350.9	244.0	206.0

SUNOPzV2-1200 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	818.0	777.0	670.0	536.3	362.7	278.4	190.4	133.5	112.5
1.80V	1006.0	941.0	780.0	601.2	397.2	302.8	205.2	142.8	120.0
1.75V	1190.0	1053.0	832.0	625.1	411.0	309.7	209.3	145.2	122.1
1.70V	1336.0	1149.0	880.0	652.4	421.4	315.9	212.4	147.3	123.4
1.67V	1435.0	1213.0	915.0	669.5	428.3	321.7	215.8	149.0	124.5
1.60V	1501.0	1256.0	939.0	679.8	435.2	325.5	217.9	150.0	125.5

SUNOPzV2-1200 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1522.0	1460.0	1279.0	1035.0	704.6	543.0	374.0	264.6	223.5
1.80V	1839.0	1743.0	1476.0	1158.0	770.2	587.7	401.5	282.8	238.3
1.75V	2138.0	1923.0	1557.0	1195.6	787.5	598.0	408.3	287.0	241.7
1.70V	2357.0	2069.0	1632.0	1236.6	804.8	608.3	415.2	290.1	244.1
1.67V	2486.0	2152.0	1680.0	1260.5	818.6	618.7	418.6	292.8	246.2
1.60V	2551.0	2196.0	1705.0	1274.1	825.5	622.1	422.1	294.2	247.5

SUNOPzV2-1500 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	876.0	854.0	781.0	666.0	436.0	342.0	235.0	167.0	140.0
1.80V	1077.0	1034.0	910.0	750.0	479.0	376.5	256.5	178.5	150.0
1.75V	1274.0	1157.0	970.0	781.0	492.0	382.0	261.0	181.0	152.0
1.70V	1430.0	1263.0	1027.0	811.0	504.0	387.0	265.0	183.0	154.0
1.67V	1535.0	1333.0	1068.0	834.0	515.0	393.0	269.0	186.0	156.0
1.60V	1606.0	1381.0	1095.0	849.0	522.0	399.0	271.0	187.0	157.0

SUNOPzV2-1500 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1629.0	1605.0	1492.0	1288.0	847.0	666.8	462.9	329.9	279.0
1.80V	1968.0	1916.0	1722.0	1442.0	926.0	731.6	501.8	352.9	298.0
1.75V	2288.0	2114.0	1817.0	1491.0	946.0	739.7	508.8	356.9	302.0
1.70V	2522.0	2274.0	1903.0	1538.0	966.0	745.9	514.8	360.9	305.0
1.67V	2660.0	2365.0	1960.0	1572.0	981.0	753.9	520.7	364.9	308.0
1.60V	2730.0	2414.0	1989.0	1588.0	989.0	762.7	524.7	365.9	309.0

SUNOPzV2-2000 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1167.0	1139.0	1041.0	888.0	581.0	460.0	315.0	220.0	187.0
1.80V	1436.0	1379.0	1214.0	1000.0	638.0	502.0	342.0	238.0	200.0
1.75V	1698.0	1543.0	1293.0	1041.0	656.0	510.0	347.0	241.0	203.0
1.70V	1906.0	1684.0	1369.0	1081.0	673.0	520.0	353.0	243.0	205.0
1.67V	2047.0	1778.0	1424.0	1112.0	687.0	526.0	356.0	245.0	208.0
1.60V	2142.0	1841.0	1460.0	1131.0	696.0	530.0	360.0	247.0	209.0

SUNOPzV2-2000 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	2171.0	2140.0	1990.0	1718.0	1129.0	897.6	619.9	436.0	373.0
1.80V	2624.0	2554.0	2296.0	1922.0	1234.0	976.4	669.8	469.9	397.0
1.75V	3051.0	2819.0	2422.0	1987.0	1262.0	988.5	677.8	476.9	403.0
1.70V	3363.0	3032.0	2538.0	2051.0	1288.0	1002.5	685.7	479.9	407.0
1.67V	3547.0	3154.0	2613.0	2095.0	1309.0	1009.7	689.8	481.9	410.0
1.60V	3640.0	3218.0	2653.0	2118.0	1319.0	1013.8	696.7	484.9	413.0

SUNOPzV2-2500 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1459.0	1424.0	1302.0	1117.3	755.5	580.0	396.8	278.1	234.3
1.80V	1795.0	1723.0	1517.0	1252.5	827.5	630.8	427.5	297.5	250.0
1.75V	2123.0	1929.0	1617.0	1302.3	856.3	645.2	436.1	302.5	254.3
1.70V	2383.0	2105.0	1711.0	1359.2	877.9	658.0	442.5	306.8	257.1
1.67V	2559.0	2222.0	1780.0	1394.8	892.3	670.2	449.7	310.4	259.3
1.60V	2677.0	2301.0	1826.0	1416.2	906.7	678.1	454.0	312.6	261.4

SUNOPzV2-2500 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	2714.0	2675.0	2487.0	2156.3	1467.9	1131.3	779.2	551.2	465.7
1.80V	3280.0	3193.0	2870.0	2412.5	1604.6	1224.4	836.4	589.3	496.4
1.75V	3814.0	3523.0	3028.0	2490.8	1640.6	1245.9	850.7	597.9	503.6
1.70V	4204.0	3790.0	3172.0	2576.2	1676.6	1267.4	865.0	604.3	508.6
1.67V	4434.0	3942.0	3267.0	2626.0	1705.4	1288.9	872.2	610.1	512.9
1.60V	4550.0	4023.0	3316.0	2654.4	1719.8	1296.0	879.3	613.0	515.7

SUNOPzV2-3000 恒流放电表 (Amperes) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	1751.0	1708.0	1562.0	1340.7	906.7	696.0	476.1	333.7	281.1
1.80V	2154.0	2068.0	1820.0	1503.0	993.0	757.0	513.0	357.0	300.0
1.75V	2548.0	2314.0	1940.0	1562.8	1027.5	774.2	523.3	363.0	305.1
1.70V	2859.0	2526.0	2054.0	1631.1	1053.4	789.7	531.0	368.2	308.6
1.67V	3071.0	2667.0	2136.0	1673.8	1070.7	804.3	539.6	372.5	311.1
1.60V	3212.0	2762.0	2191.0	1699.4	1088.0	813.7	544.7	375.1	313.7

SUNOPzV2-3000 恒功率放电 (Watts/Cell) 环境 25°C

Time	10min	15min	30min	1h	2h	3h	5h	8h	10h
1.85V	3257.0	3210.0	2985.0	2587.6	1761.5	1357.6	935.1	661.4	558.9
1.80V	3936.0	3831.0	3444.0	2895.0	1925.6	1469.3	1003.7	707.1	595.7
1.75V	4576.0	4228.0	3634.0	2988.9	1968.7	1495.1	1020.9	717.4	604.3
1.70V	5045.0	4548.0	3807.0	3091.4	2011.9	1520.9	1038.0	725.2	610.3
1.67V	5320.0	4731.0	3920.0	3151.2	2046.4	1546.7	1046.6	732.1	615.4
1.60V	5460.0	4828.0	3979.0	3185.3	2063.7	1555.2	1055.2	735.6	618.9